

**Table 1. 2007 Eau Claire Diamond Drilling Results**

| <b>Eau Claire Gold Deposit - 2007 Average composite gold grades</b> |                   |                       |                      |                  |                  |  |
|---|-------------------|-----------------------|----------------------|------------------|------------------|--|
| <b>Cut off grade</b>  | <b>No. Vein</b>   | <b>Average Length</b> | <b>Average Grade</b> |                  |                  |  |
| <b>Au g/t</b>   | <b>Intercepts</b> | <b>metres</b>         | <b>Au g/t</b>        | <b>Au oz/ton</b> |                  |  |
| 0   | 141               | 1.21                  | 21.18                | 0.62             |                  |  |
| <b>3.4</b>  | <b>100</b>        | <b>1.25</b>           | <b>28.03</b>         | <b>0.82</b>      |                  |  |
| 5.4   | 75                | 1.29                  | 35.01                | 1.02             |                  |  |
| 9.75  | 50                | 1.25                  | 50.01                | 1.46             |                  |  |
|   |                   |                       |                      |                  |                  |  |
|   |                   |                       |                      |                  |                  |  |
| <b>Hole ID</b>  | <b>From</b>       | <b>To</b>             | <b>Length (m)</b>    | <b>Au g/t</b>    | <b>Au oz/ton</b> |  |
| ER07-60   | 49.5              | 50.5                  | 1.0                  | 11.05            | 0.32             |  |
| incl.   | 50.0              | 50.5                  | 0.5                  | <b>20.80</b>     | <b>0.61</b>      |  |
| ER07-62   | 51.7              | 53.2                  | 1.5                  | <b>21.80</b>     | <b>0.64</b>      |  |
| incl.   | 52.2              | 52.7                  | 0.5                  | <b>52.00</b>     | <b>1.52</b>      |  |
|   | 62.8              | 63.8                  | 1.0                  | <b>22.53</b>     | <b>0.66</b>      |  |
| incl.   | 62.8              | 63.3                  | 0.5                  | <b>45.00</b>     | <b>1.31</b>      |  |
| ER07-63   | 20.4              | 21.5                  | 1.1                  | <b>57.07</b>     | <b>1.67</b>      |  |
| incl.   | 21.0              | 21.5                  | 0.5                  | <b>92.80</b>     | <b>2.71</b>      |  |
| ER07-64   | 12.3              | 13.3                  | 1.0                  | 9.86             | 0.29             |  |
| incl.   | 12.3              | 12.8                  | 0.5                  | <b>19.70</b>     | <b>0.58</b>      |  |
|   | 17.4              | 18.4                  | 1.0                  | 8.36             | 0.24             |  |
|   | 28.7              | 29.8                  | 1.1                  | 8.86             | 0.26             |  |
| ER07-65   | 19.4              | 20.4                  | 1.0                  | <b>38.50</b>     | <b>1.12</b>      |  |
| incl.   | 19.9              | 20.4                  | 0.5                  | <b>77.00</b>     | <b>2.25</b>      |  |
|   | 52.8              | 53.7                  | 0.9                  | 6.10             | 0.18             |  |
|   | 55.2              | 56.2                  | 1.0                  | <b>20.72</b>     | <b>0.61</b>      |  |
| incl.   | 55.2              | 55.7                  | 0.5                  | <b>41.40</b>     | <b>1.21</b>      |  |
| ER07-67   | 22.5              | 23.5                  | 1.0                  | <b>42.85</b>     | <b>1.25</b>      |  |
| incl.   | 23.0              | 23.5                  | 0.5                  | <b>61.10</b>     | <b>1.78</b>      |  |
|   | 37.7              | 38.7                  | 1.0                  | <b>15.12</b>     | <b>0.44</b>      |  |
| incl.   | 37.7              | 38.2                  | 0.5                  | <b>30.10</b>     | <b>0.88</b>      |  |
| ER07-68   | 3.7               | 4.7                   | 1.0                  | <b>17.95</b>     | <b>0.52</b>      |  |
|   | 10.9              | 11.9                  | 1.0                  | <b>26.88</b>     | <b>0.78</b>      |  |
|   | 10.9              | 11.4                  | 0.5                  | <b>52.00</b>     | <b>1.52</b>      |  |
|   | 19.1              | 20.1                  | 1.0                  | 3.77             | 0.11             |  |
|   | 27.0              | 28.0                  | 1.0                  | 2.37             | 0.07             |  |
| ER07-69   | 4.5               | 5.5                   | 1.0                  | <b>15.55</b>     | <b>0.45</b>      |  |
|   | 9.4               | 10.4                  | 1.0                  | 5.01             | 0.15             |  |
|   | 13.1              | 14.1                  | 1.0                  | <b>15.59</b>     | <b>0.46</b>      |  |
| ER07-70   | 46.2              | 47.3                  | 1.1                  | <b>21.35</b>     | <b>0.62</b>      |  |
| incl.   | 46.8              | 47.3                  | 0.5                  | <b>42.40</b>     | <b>1.24</b>      |  |
|   | 57.4              | 58.4                  | 1.0                  | 11.32            | 0.33             |  |

**Table 1. 2007 Eau Claire Diamond Drilling Results**

| Hole ID | From | To   | Length (m) | Au g/t        | Au oz/ton   |  |  |
|---------|------|------|------------|---------------|-------------|--|--|
| ER07-71 | 46.9 | 47.9 | 1.0        | <b>19.12</b>  | <b>0.56</b> |  |  |
|         | 60.5 | 61.5 | 1.0        | 1.90          | 0.06        |  |  |
| ER07-72 | 15.8 | 16.8 | 1.0        | 2.13          | 0.06        |  |  |
|         | 26.8 | 28.3 | 1.5        | 6.09          | 0.18        |  |  |
|         | 39.6 | 40.6 | 1.0        | <b>22.15</b>  | <b>0.65</b> |  |  |
|         | 59.0 | 60.0 | 1.0        | 4.22          | 0.12        |  |  |
| ER07-73 | 6.6  | 7.6  | 1.0        | 4.93          | 0.14        |  |  |
|         | 16.1 | 17.2 | 1.1        | 10.80         | 0.32        |  |  |
|         | 28.5 | 29.5 | 1.0        | <b>15.99</b>  | <b>0.47</b> |  |  |
| ER07-73 |      |      |            |               |             |  |  |
| incl.   | 28.5 | 29.0 | 0.5        | <b>31.60</b>  | <b>0.92</b> |  |  |
| ER07-74 | 5.1  | 7.1  | 2.0        | 2.66          | 0.08        |  |  |
|         | 8.5  | 9.5  | 1.0        | 7.93          | 0.23        |  |  |
|         | 13.0 | 14.0 | 1.0        | 3.12          | 0.09        |  |  |
|         | 17.2 | 18.2 | 1.0        | <b>20.63</b>  | <b>0.60</b> |  |  |
| incl.   | 17.7 | 18.2 | 0.5        | <b>40.80</b>  | <b>1.19</b> |  |  |
|         | 28.5 | 29.5 | 1.0        | 3.34          | 0.10        |  |  |
| ER07-75 | 10.3 | 11.3 | 1.0        | 3.59          | 0.10        |  |  |
|         | 18.0 | 19.0 | 1.0        | 2.20          | 0.06        |  |  |
| ER07-76 | 6.3  | 7.8  | 1.5        | 4.11          | 0.12        |  |  |
|         | 9.2  | 10.7 | 1.5        | <b>30.66</b>  | <b>0.90</b> |  |  |
| incl.   | 9.2  | 9.7  | 0.5        | <b>89.30</b>  | <b>2.61</b> |  |  |
|         | 16.7 | 18.2 | 1.5        | 2.82          | 0.08        |  |  |
| ER07-77 | 8.3  | 9.3  | 1.0        | <b>24.55</b>  | <b>0.72</b> |  |  |
| incl.   | 8.3  | 8.8  | 0.5        | <b>45.20</b>  | <b>1.32</b> |  |  |
|         | 13.9 | 14.9 | 1.0        | 4.83          | 0.14        |  |  |
|         | 19.0 | 19.6 | 0.6        | 5.30          | 0.15        |  |  |
| ER07-78 | 38.0 | 39.0 | 1.0        | 3.85          | 0.11        |  |  |
|         | 44.4 | 45.9 | 1.5        | 10.61         | 0.31        |  |  |
| incl.   | 44.4 | 44.9 | 0.5        | <b>20.60</b>  | <b>0.60</b> |  |  |
| ER07-79 | 19.9 | 20.9 | 1.0        | 8.80          | 0.26        |  |  |
|         | 26.8 | 27.9 | 1.1        | <b>15.60</b>  | <b>0.46</b> |  |  |
| incl.   | 26.8 | 27.4 | 0.6        | <b>25.90</b>  | <b>0.76</b> |  |  |
|         | 40.9 | 42.0 | 1.1        | 6.42          | 0.19        |  |  |
| ER07-80 | 4.5  | 8.0  | <b>3.5</b> | 8.95          | 0.26        |  |  |
|         | 15.3 | 16.3 | 1.0        | 3.44          | 0.10        |  |  |
| ER07-81 | 4.8  | 5.8  | 1.0        | 4.55          | 0.13        |  |  |
|         | 15.5 | 16.6 | 1.1        | 10.44         | 0.30        |  |  |
| ER07-82 | 36.6 | 37.6 | 1.0        | 2.82          | 0.08        |  |  |
|         | 43.4 | 44.5 | 1.1        | <b>85.82</b>  | <b>2.51</b> |  |  |
| incl.   | 43.4 | 43.9 | 0.5        | <b>188.00</b> | <b>5.49</b> |  |  |
|         | 76.9 | 77.9 | 1.0        | 2.97          | 0.09        |  |  |

**Table 1. 2007 Eau Claire Diamond Drilling Results**

| Hole ID | From | To   | Length (m) | Au g/t        | Au oz/ton   |  |  |
|---------|------|------|------------|---------------|-------------|--|--|
| ER07-82 | 81.8 | 82.8 | 1.0        | 3.59          | 0.10        |  |  |
| ER07-83 | 4.5  | 5.5  | 1.0        | 12.46         | 0.36        |  |  |
|         | 18.5 | 19.5 | 1.0        | 2.77          | 0.08        |  |  |
|         | 47.0 | 48.0 | 1.0        | 2.39          | 0.07        |  |  |
| ER07-84 | 12.4 | 13.4 | 1.0        | <b>19.75</b>  | <b>0.58</b> |  |  |
| incl.   | 12.4 | 12.9 | 0.5        | <b>27.70</b>  | <b>0.81</b> |  |  |
| ER07-85 | 3.0  | 7.0  | <b>4.0</b> | <b>13.83</b>  | <b>0.40</b> |  |  |
| incl.   | 4.0  | 4.5  | 0.5        | <b>39.80</b>  | <b>1.16</b> |  |  |
| incl.   | 6.5  | 7.0  | 0.5        | <b>33.30</b>  | <b>0.97</b> |  |  |
|         | 9.5  | 10.5 | 1.0        | 2.22          | 0.06        |  |  |
|         | 17.5 | 19.0 | 1.5        | <b>40.01</b>  | <b>1.17</b> |  |  |
|         | 22.0 | 23.0 | 1.0        | 4.80          | 0.14        |  |  |
|         | 29.0 | 29.5 | 0.5        | 8.84          | 0.26        |  |  |
| ER07-86 | 36.1 | 37.1 | 1.0        | 3.68          | 0.11        |  |  |
|         | 47.3 | 48.3 | 1.0        | 12.78         | 0.37        |  |  |
|         | 47.3 | 47.8 | 0.5        | <b>25.50</b>  | <b>0.74</b> |  |  |
|         | 74.0 | 75.0 | 1.0        | 2.14          | 0.06        |  |  |
| ER07-87 | 7.3  | 8.3  | 1.0        | 2.07          | 0.06        |  |  |
|         | 17.8 | 21.3 | <b>3.5</b> | <b>79.76</b>  | <b>2.33</b> |  |  |
| incl.   | 18.8 | 19.3 | 0.5        | <b>237.00</b> | <b>6.92</b> |  |  |
| incl.   | 19.3 | 19.8 | 0.5        | <b>38.50</b>  | <b>1.12</b> |  |  |
| incl.   | 19.8 | 20.3 | 0.5        | <b>172.00</b> | <b>5.02</b> |  |  |
| incl.   | 20.3 | 20.8 | 0.5        | <b>99.60</b>  | <b>2.91</b> |  |  |
|         | 24.1 | 25.6 | 1.5        | 4.00          | 0.12        |  |  |
|         | 39.0 | 40.4 | 1.4        | 2.12          | 0.06        |  |  |
|         | 41.5 | 42.5 | 1.0        | 6.12          | 0.18        |  |  |
|         | 49.3 | 52.4 | 3.1        | 3.45          | 0.10        |  |  |
|         | 54.0 | 55.0 | 1.0        | 3.17          | 0.09        |  |  |
| ER07-88 | 33.1 | 34.7 | 1.6        | 4.55          | 0.13        |  |  |
| ER07-89 | 4.6  | 6.1  | 1.5        | 2.76          | 0.08        |  |  |
|         | 16.5 | 17.6 | 1.1        | 2.55          | 0.07        |  |  |
|         | 19.1 | 20.6 | 1.5        | 4.09          | 0.12        |  |  |
|         | 26.1 | 27.1 | 1.0        | 5.61          | 0.16        |  |  |
| ER07-90 | 43.6 | 44.6 | 1.0        | 3.05          | 0.09        |  |  |
|         | 53.7 | 55.3 | 1.6        | 9.37          | 0.27        |  |  |
|         | 60.9 | 61.9 | 1.0        | 4.60          | 0.13        |  |  |
|         | 66.1 | 67.1 | 1.0        | <b>83.83</b>  | <b>2.45</b> |  |  |
| ER07-91 | 40.1 | 41.1 | 1.0        | 4.94          | 0.14        |  |  |
|         | 52.0 | 53.0 | 1.0        | 5.36          | 0.16        |  |  |
| ER07-92 | 5.4  | 6.5  | 1.1        | 4.22          | 0.12        |  |  |
|         | 11.5 | 12.5 | 1.0        | 8.81          | 0.26        |  |  |
|         | 24.4 | 26.4 | 2.0        | 9.74          | 0.28        |  |  |
|         | 25.9 | 26.4 | 0.5        | <b>18.80</b>  | <b>0.55</b> |  |  |

**Table 1. 2007 Eau Claire Diamond Drilling Results**

| Hole ID  | From | To   | Length (m) | Au g/t          | Au oz/ton    |  |  |
|----------|------|------|------------|-----------------|--------------|--|--|
| ER07-92  | 27.4 | 28.4 | 1.0        | 3.89            | 0.11         |  |  |
| ER07-93  | 4.7  | 7.7  | <b>3.0</b> | <b>11.31</b>    | <b>0.33</b>  |  |  |
|          | 11.7 | 13.2 | 1.5        | <b>35.96</b>    | <b>1.05</b>  |  |  |
| incl.    | 12.2 | 12.7 | 0.5        | <b>95.00</b>    | <b>2.77</b>  |  |  |
|          | 19.5 | 20.5 | 1.0        | 3.24            | 0.09         |  |  |
| ER07-94  | 56.3 | 57.8 | 1.5        | 11.28           | 0.33         |  |  |
| incl.    | 57.3 | 57.8 | 0.5        | <b>23.50</b>    | <b>0.69</b>  |  |  |
|          | 65.4 | 66.4 | 1.0        | <b>31.15</b>    | <b>0.91</b>  |  |  |
| ER07-95  | 38.1 | 40.6 | 2.5        | 5.72            | 0.17         |  |  |
|          | 49.9 | 51.5 | 1.6        | <b>28.47</b>    | <b>0.83</b>  |  |  |
| incl.    | 49.9 | 50.4 | 0.5        | <b>22.90</b>    | <b>0.67</b>  |  |  |
| incl.    | 50.9 | 51.5 | 0.6        | <b>51.50</b>    | <b>1.50</b>  |  |  |
| ER07-96  | 10.4 | 11.2 | 0.8        | 3.01            | 0.09         |  |  |
| ER07-98  | 30.9 | 31.4 | 0.5        | 11.10           | 0.32         |  |  |
|          | 39.0 | 39.5 | 0.5        | <b>37.20</b>    | <b>1.09</b>  |  |  |
|          | 64.5 | 65.5 | 1.0        | <b>1,313.50</b> | <b>38.35</b> |  |  |
| incl.    | 64.5 | 65.0 | 0.5        | <b>87.00</b>    | <b>2.54</b>  |  |  |
| incl.    | 65.0 | 65.5 | 0.5        | <b>2,540.00</b> | <b>74.17</b> |  |  |
| ER07-99  | 24.8 | 25.9 | 1.1        | <b>17.46</b>    | <b>0.51</b>  |  |  |
|          | 36.3 | 37.4 | 1.1        | 6.34            | 0.19         |  |  |
|          | 47.0 | 51.5 | <b>4.5</b> | <b>8.87</b>     | <b>0.26</b>  |  |  |
| ER07-100 | 57.2 | 58.2 | 1.0        | 9.21            | 0.27         |  |  |
| ER07-103 | 11.3 | 12.4 | 1.1        | 6.55            | 0.19         |  |  |
|          | 31.5 | 32.5 | 1.0        | 5.72            | 0.17         |  |  |
|          | 56.5 | 57.5 | 1.0        | 4.35            | 0.13         |  |  |
|          | 64.4 | 65.4 | 1.0        | <b>48.24</b>    | <b>1.41</b>  |  |  |
| ER07-104 | 11.0 | 12.5 | 1.5        | <b>20.73</b>    | <b>0.61</b>  |  |  |
|          | 33.4 | 34.4 | 1.0        | 13.61           | 0.40         |  |  |
|          | 44.3 | 45.3 | 1.0        | <b>188.58</b>   | <b>5.51</b>  |  |  |
| incl.    | 44.8 | 45.3 | 0.5        | <b>375.00</b>   | <b>10.95</b> |  |  |
| ER07-106 | 61.7 | 62.7 | 1.0        | 9.51            | 0.28         |  |  |
| ER07-107 | 22.1 | 23.6 | 1.5        | <b>17.57</b>    | <b>0.51</b>  |  |  |
| incl.    | 22.1 | 22.6 | 0.5        | <b>35.90</b>    | <b>1.05</b>  |  |  |
| ER07-108 | 68.9 | 69.9 | 1.0        | <b>45.69</b>    | <b>1.33</b>  |  |  |
|          | 74.6 | 75.6 | 1.0        | 8.49            | 0.25         |  |  |
| ER07-109 | 67.3 | 68.3 | 1.0        | <b>16.37</b>    | <b>0.48</b>  |  |  |
|          | 74.6 | 75.6 | 1.0        | 8.01            | 0.23         |  |  |
|          | 76.6 | 77.6 | 1.0        | 6.00            | 0.18         |  |  |
| ER07-110 | 70.1 | 71.1 | 1.0        | 7.74            | 0.23         |  |  |

**Table 1. 2007 Eau Claire Diamond Drilling Results**

| Hole ID   | From | To   | Length (m) | Au g/t | Au oz/ton |  |  |
|---|------|------|------------|--------|-----------|--|--|
| ER07-110  | 78.6 | 80.1 | 1.5        | 11.80  | 0.34      |  |  |
|   |      |      |            |        |           |  |  |
| Chemical analysis was completed by SGS Minerals Don Mills Laboratories using a 50-gram split and gravimetric techniques. The visible gold samples were mechanically screened and assayed for metallics. Internal standards provided by an independent company and blank samples were inserted for quality control purposes. |      |      |            |        |           |  |  |
|   |      |      |            |        |           |  |  |
| Note: Sample length represents true thickness. Assays are pending for 250 HQ drill core samples.  |      |      |            |        |           |  |  |